
ANNALS OF BOTANY

Founded 1887

Volume 72 (July to December) 1993

C.A.B. INTERNATIONAL INSTITUTE OF PARASITOLOGY
395A, HATFIELD ROAD,
ST. ALBANS,
HERTS. AL4 0XU
U.K.

Academic Press



London San Diego New York Boston Sydney Tokyo Toronto

Copyright © 1994 Annals of Botany

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any
form, by photostat, microfilm or any other means,
without written permission from the publishers

ISSN 0305-7364

CONTENTS

Volume 72

Number 1	July 1993
Lur, H.-S. and Setter, T. L. Endosperm Development of Maize <i>Defective Kernel (dek)</i> Mutants. Auxin and Cytokinin Levels	1
Bowen, B. J. and Pate, J. S. The Significance of Root Starch in Post-fire Shoot Recovery of the Resprouter <i>Stirlingia latifolia</i> R. Br. (Proteaceae)	7
Buwalda, J. G., Curtis, J. P. and Smith, G. S. Use of Interactive Computer Graphics for Simulation of Radiation Interception and Photosynthesis for Canopies of Kiwifruit Vines with Heterogeneous Surface Shape and Leaf Area Distribution	17
Beardsell, D. V., Williams, E. G. and Knox, R. B. Homeotic, Meristic and Cytological Floral Mutants of <i>Thryptomene calycina</i> (family Myrtaceae)	27
Cramer, M. D. and Lewis, O. A. M. The Influence of NO_3^- and NH_4^+ Nutrition on the Gas Exchange Characteristics of the Roots of Wheat (<i>Triticum aestivum</i>) and Maize (<i>Zea mays</i>) Plants	37
Lea-Cox, J. D. and Syvertsen, J. P. Salinity Reduces Water Use and Nitrate-N-use Efficiency of Citrus	47
Duthion, C. and Pigeaire, A. Stability of the Nitrogen Concentration of Inoculated White Lupins during Pod Development	55
Bussi�eres, P. Potential Dry Matter and Water Import Rates in the Tomato Fruit in Relationship to Fruit Size	63
Ekanayake, I. J., De Datta, S. K. and Steponkus, P. L. Effect of Water Deficit Stress on Diffusive Resistance, Transpiration, and Spikelet Desiccation of Rice (<i>Oryza sativa</i> L.)	73
Mauseth, J. D. Water-storing and Cavitation-preventing Adaptations in Wood of Cacti	81
Book Reviews	91
 Number 2	 August 1993
Dell'Aquila, A. and Spada, P. The Effect of Salinity Stress upon Protein Synthesis of Germinating Wheat Embryos	97
Rechel, E. Etiolated Growth as a Measure of Non-structural Biomass in Lucerne Taproots	103
Schortemeyer, M., Feil, B. and Stamp, P. Root Morphology and Nitrogen Uptake of Maize Simultaneously Supplied with Ammonium and Nitrate in a Split-root System	107
Johnson, J. M. and Choinski Jr, J. S. Photosynthesis in the <i>Tapinanthus-Diplorhynchus</i> Mistletoe-Host Relationship	117
Ennos, A. R. The Mechanics of the Flower Stem of the Sedge <i>Carex acutiformis</i>	123
Reuveni, J., Gale, J. and Mayer, A. M. Reduction of Respiration by Ambient CO_2 and the Resulting Error in Measurements of Respiration Made with O_2 Electrodes	129
Truong, H.-H. and Duthion, C. Time of Flowering of Pea (<i>Pisum sativum</i> L.) as a Function of Leaf Appearance Rate and Node of First Flower	133

Dubrovsky, J. G. Radiomimetic Effect of Cisplatin on Cucumber Root Development: the Relationship between Cell Division and Cell Growth	143
Bassi, R. and Sharma, S. S. Changes in Proline Content Accompanying the Uptake of Zinc and Copper by <i>Lemna minor</i>	151
Shepherd, T. and Davies, H. V. Carbon Loss from the Roots of Forage Rape (<i>Brassica napus</i> L.) Seedlings Following Pulse-labelling with $^{14}\text{CO}_2$	155
Niklas, K. J. The Scaling of Plant Height: A Comparison Among Major Plant Clades and Anatomical Grades	165
Niklas, K. J. Influence of Tissue Density-specific Mechanical Properties on the Scaling of Plant Height	173
Bino, R. J., Lanteri, S., Verhoeven, H. A. and Kraak, H. L. Flow Cytometric Determination of Nuclear Replication Stages in Seed Tissues	181
Book Reviews	189

Number 3

September 1993

Jackson, C. K. and Hall, J. L. A Fine Structural Analysis of Auxin-induced Elongation of Cucumber Hypocotyls, and the Effects of Calcium Antagonists and Ionophores	193
Miyake, H. and Nakamura, M. Some Factors Concerning the Centripetal Disposition of Bundle Sheath Chloroplasts during the Leaf Development of <i>Eleusine coracana</i>	205
Tsekos, I. and Reiss, H.-D. The Supramolecular Organization of Red Algal Vacuole Membrane Visualized by Freeze-fracture	213
Lee, R. B. Control of Net Uptake of Nutrients by Regulation of Influx in Barley Plants Recovering from Nutrient Deficiency	223
Sheffield, E., Wolf, P. G., Rumsey, F. J., Robson, D. J., Ranker, T. A. and Challinor, S. M. Spatial Distribution and Reproductive Behaviour of a Triploid Bracken (<i>Pteridium aquilinum</i>) Clone in Britain	231
Cox, A. V., Bennett, S. T., Parokony, A. S., Kenton, A., Callimassia, M. A. and Bennett, M. D. Comparison of Plant Telomere Locations using a PCR-generated Synthetic Probe	239
Thomas, H. and James, A. R. Freezing Tolerance and Solute Changes in Contrasting Genotypes of <i>Lolium perenne</i> L. Acclimated to Cold and Drought	249
Botha, C. E. J., Hartley, B. J. and Cross, R. H. M. The Ultrastructure and Computer-enhanced Digital Image Analysis of Plasmodesmata at the Kranz Mesophyll-Bundle Sheath Interface of <i>Themeda triandra</i> var. <i>imberbis</i> (Retz) A. Camus in Conventionally-fixed Leaf Blades	255
Fidalgo, F., Santos, I. and Salema, R. Effects of Deltamethrin on Field Grown Potato Plants: Biochemical and Ultrastructural Aspects	263
McCullough, D. E. and Hunt, L. A. Mature Tissue and Crop Canopy Respiratory Characteristics of Rye, Triticale and Wheat	269
Book Reviews	283

Number 4	October 1993
Burdon, J. N. and Sexton, R. Ethylene Co-ordinates Petal Abscission in Red Raspberry (<i>Rubus idaeus</i> L.) Flowers	289
Briggs, C. L. Endosperm Development in <i>Solanum nigrum</i> L. Formation and Distribution of Lipid Bodies	295
Briggs, C. L. Endosperm Development in <i>Solanum nigrum</i> L. Formation of the Zone of Separation and Secretion	303
Loss, S. P., Robson, A. D. and Ritchie, G. S. P. H ⁺ /OH ⁻ Excretion and Nutrient Uptake in Upper and Lower Parts of Lupin (<i>Lupinus angustifolius</i> L.) Root Systems	315
Aphalo, P. J. and Jarvis, P. G. An Analysis of Ball's Empirical Model of Stomatal Conductance	321
Sharma, E. Nutrient Dynamics in Himalayan Alder Plantations	329
Elgersma, A., Nieboer, I. G. and Keizer, L. C. P. The Effect of Temperature on Seed Set and Seed Development in Detached Spikelets of Perennial Ryegrass (<i>Lolium perenne</i> L.)	337
Bostrack, J. M. The Relationship Between Size of Shoot Apices and Morphological Features of Mature Leaves and Stems of Four Species of Angiosperm Trees	341
White, P. J. Relationship Between the Development and Growth of Rye (<i>Secale cereale</i> L.) and the Potassium Concentration in Solution	349
Cramer, M. D. and Lewis, O. A. M. The Influence of Nitrate and Ammonium Nutrition on the Growth of Wheat (<i>Triticum aestivum</i>) and Maize (<i>Zea mays</i>) Plants	359
Hoek, I. H. S., Hänisch Ten Cate, C. H., Keijzer, C. J., Schel, J. H. and Dons, H. J. M. Development of the Fifth Leaf is Indicative for Whole Plant Performance at Low Temperature in Tomato	367
Verdus, M.-C., Dubois, T., Dubois, J. and Vasseur, J. Ultrastructural Changes in Leaves of <i>Cichorium</i> during Somatic Embryogenesis	375
Book Reviews	385

Number 5	November 1993
Editorial	387
Hodson, M. J. and Sangster, A. G. The Interaction Between Silicon and Aluminium in <i>Sorghum bicolor</i> (L.) Moench: Growth Analysis and X-ray Microanalysis	389
Gastal, F. and Bélanger, G. The Effects of Nitrogen Fertilization and the Growing Season on Photosynthesis of Field-grown Tall Fescue (<i>Festuca arundinacea</i> Schreb.) Canopies	401
Salatino, A., Kraus, J. E. and Salatino, M. L. F. Contents of Tannins and their Histological Localization in Young and Adult Parts of <i>Struthanthus vulgaris</i> Mart. (Loranthaceae)	409
Bernal, M. A., Pedreño, M. A., Calderón, A. A., Muñoz, R., Ros Barceló, A. and Merino De Cáceres, F. The Subcellular Localization of Isoperoxidases in <i>Capsicum annuum</i> Leaves and their Different Expression in Vegetative and Flowered Plants	415

Dvořák, J. and Štokrová, J. Structure of the Needles in the Early Phases of Development in <i>Pinus ponderosa</i> P. et C. Lawson with Special Reference to Plastids	423
Samuels, A. L., Glass, A. D. M., Ehret, D. L. and Menzies, J. G. The Effects of Silicon Supplementation on Cucumber Fruit: Changes in Surface Characteristics	433
Miller, H. and Barnett, J. R. The Structure and Composition of Bead-like Projections on Sitka Spruce Callus Cells Formed during Grafting and in Culture	441
Bates, J. W. Regional Calicology in the Moss <i>Rhytidiadelphus triquetrus</i> : Survival and Chemistry of Transplants at a Formerly SO ₂ -polluted Site with Acid Soil	449
Leshem, Y. Y., Rapoport, D., Frimer, A. A., Strul, G., Asaf, U. and Felner, I. Buckminsterfullerene (C-60 Carbon Allotrope) Inhibits Ethylene Evolution from 1-Aminocyclopropane-1-carboxylic acid (ACC)-treated Shoots of Pea (<i>Pisum sativum</i>), Broadbean (<i>Vicia faba</i>) and Flowers of Carnation (<i>Dianthus caryophyllus</i>)	457
Bouwmeester, H. J. and Karssen, C. M. Seasonal Periodicity in Germination of Seeds of <i>Chenopodium album</i> L.	463
Niklas, K. J. Allocation of Organ Biomass in Perfect and Imperfect Flowers	475
Aikman, D. P. and Scaife, A. Modelling Plant Growth Under Varying Environmental Conditions in a Uniform Canopy	485
Julier, B. and Huyghe, C. Description and Model of the Architecture of Four Genotypes of Determinate Autumn-sown White Lupin (<i>Lupinus albus</i> L.) as Influenced by Location, Sowing Date and Density	493
Rogers, M. E. and West, D. W. The Effects of Rootzone Salinity and Hypoxia on Shoot and Root Growth in <i>Trifolium</i> Species	503
Book Reviews	511

Number 6	December 1993
Beeching, J. R., Marmey, P., Gavalda, M.-C., Noiro, M., Haysom, H. R., Hughes, M. A. and Charrier, A. An Assessment of Genetic Diversity Within a Collection of Cassava (<i>Manihot esculenta</i> Crantz) Germplasm Using Molecular Markers	515
Weiss, J., Nerd, A. and Mizrahi, Y. Vegetative Parthenocarpy in the Cactus Pear <i>Opuntia ficus-indica</i> (L.) Mill.	521
Nepi, M. and Pacini, E. Pollination, Pollen Viability and Pistil Receptivity in <i>Cucurbita pepo</i>	527
Tubb, H. J., Hodson, M. J. and Hodson, G. C. The Inflorescence Papillae of the Triticeae: a New Tool for Taxonomic and Archaeological Research	537
Czaninski, Y., Sachot, R. M. and Catesson, A. M. Cytochemical Localization of Hydrogen Peroxide in Lignifying Cell Walls	547
Zhang, Q., Abe, T., Ando, H. and Sasahara, T. Classification of Glutinous Rice (<i>Oryza sativa</i> L.) Starches Based on X-ray Diffraction Pattern	551
Culvenor, R. A. Effect of Cutting During Reproductive Development on the Regrowth and Regenerative Capacity of the Perennial Grass, <i>Phalaris aquatica</i> L., in a Controlled Environment	559

Jackson, M. B. and Hall, K. C. Polyamine Content and Action in Roots of <i>Zea mays</i> L. in Relation to Aerenchyma Development	569
Bergersen, F. J. Diffusion of Oxyleghaemoglobin	577
Ellis, R. H., Hong, T. D. and Jackson, M. T. Seed Production Environment, Time of Harvest, and the Potential Longevity of Seeds of Three Cultivars of Rice (<i>Oryza sativa</i> L.)	583
Ueda, K. and Noguchi, T. Electron-dense Regions in Dividing Mitochondria of a Green Alga, <i>Scenedesmus acutus</i>	591
Polowick, P. L. and Sawhney, V. K. Differentiation of the Tapetum During Microsporogenesis in Tomato (<i>Lycopersicon esculentum</i> Mill.), with Special Reference to the Tapetal Cell Wall	595
Andersson, M. E. Aluminium Toxicity as a Factor Limiting the Distribution of <i>Allium ursinum</i> (L.)	607
Stone, W., Idle, D. B. and Brennan, R. M. Freezing Events within Overwintering Buds of Blackcurrant (<i>Ribes nigrum</i> L.)	613
Duckett, J. G. and Ligrone, R. Plastid-dividing Rings in Ferns	619
Malik, K. A., Ali-Khan, S. T. and Saxena, P. K. High-frequency Organogenesis from Direct Seed Culture in <i>Lathyrus</i>	629
Book Reviews	639

Author Index

- ABE, T. (see ZHANG, Q.), 551
- AIKMAN, D. P. & SCAIFE, A., Modelling plant growth under varying environmental conditions in a uniform canopy, 485
- ALI-KHAN, S. T. (see MALIK, K. A.), 629
- ANDERSSON, M. E., Aluminium toxicity as a factor limiting the distribution of *Allium ursinum* (L.), 607
- ANDO, H. (see ZHANG, Q.), 551
- APHALO, P. J. & JARVIS, P. G., An analysis of Ball's empirical model of stomatal conductance, 321
- ASAF, U. (see LESHEM, Y. Y.), 457
- BARCELÓ, A. R. (see BERNAL, M. A.), 415
- BARNETT, J. R. (see MILLER, H.), 441
- BASSI, R. & SHARMA, S. S., Changes in proline content accompanying the uptake of zinc and copper by *Lemna minor*, 151
- BATES, J. W., Regional calcicoly in the moss *Rhytidiadelphus triquetrus*: survival and chemistry of transplants at a formerly SO₂-polluted site with acid soil, 449
- BEARDSSELL, D. V., WILLIAMS, E. G. & KNOX, R. B., Homeotic, meristic and cytological floral mutants of *Thryptomene calycina* (family Myrtaceae), 27
- BEECHING, J. R., MARMEY, P., GAVALDA, M.-C., NOIROT, M., HAYSOM, H. R., HUGHES, M. A. & CHARRIER, A., An assessment of genetic diversity within a collection of Cassava (*Manihot esculenta* Crantz) germplasm using molecular markers, 515
- BÉLANGER, G. (see GASTAL, F.), 401
- BENNETT, M. D. (see COX, A. V.), 239
- BENNETT, S. T. (see COX, A. V.), 239
- BERGERSEN, F. J., Diffusion of oxyleghaemoglobin, 577
- BERNAL, M. A., PEDREÑO, M. A., CALDERÓN, A. A., MUÑOZ, R., BARCELÓ, A. R. & DE CÁCERES, F. M., The subcellular localization of isoperoxidases in *Capsicum annuum* leaves and their different expression in vegetative and flowered plants, 415
- BINO, R. J., LANTERI, S., VERHOEVEN, H. A. & KRAAK, H. L., Flow cytometric determination of nuclear replication stages in seed tissues, 181
- BOSTRACK, J. M., The relationship between size of shoot apices and morphological features of mature leaves and stems of four species of angiosperm trees, 341
- BOTHA, C. E. J., HARTLEY, B. J. & CROSS, R. H. M., The ultrastructure and computer-enhanced digital image analysis of plasmodesmata at the Kranz mesophyll-bundle sheath interface of *Themeda triandra* var. *inberbis* (Retz) A. Camus in conventionally-fixed leaf blades, 255
- BOUWMEESTER, H. J. & KARSEN, C. M., Seasonal periodicity in germination of seeds of *Chenopodium album* L., 463
- BOWEN, B. J. & PATE, J. S., The significance of root starch in post-fire shoot recovery of the resprouter *Stirlingia latifolia* R. Br. (Proteaceae), 7
- BRENNAN, R. M. (see STONE, W.), 613
- BRIGGS, C. L., Endosperm development in *Solanum nigrum* L. Formation and distribution of lipid bodies, 295
- , Endosperm development in *Solanum nigrum* L. Formation of the Zone of Separation and Secretion, 303
- BURDON, J. N. & SEXTON, R., Ethylene co-ordinates petal abscission in red raspberry (*Rubus idaeus* L.) flowers, 289
- BUSSIÈRES, P., Potential dry matter and water import rates in the tomato fruit in relationship to fruit size, 63
- BUWALDA, J. G., CURTIS, J. P. & SMITH, G. S., Use of interactive computer graphics for simulation of radiation interception and photosynthesis for canopies of kiwifruit vines with heterogeneous surface shape and leaf area distribution, 17
- CALDERÓN, A. A. (see BERNAL, M. A.), 415
- CALLIMASSIA, M. A. (see COX, A. V.), 239
- CATESSON, A. M. (see CZANINSKI, Y.), 547
- CHALLINOR, S. M. (see SHEFFIELD, E.), 231
- CHARRIER, A. (see BEECHING, J. R.), 515
- CHOINSKI, J. S. (see JOHNSON, J. M.), 117
- COX, A. V., BENNETT, S. T., PAROKONNY, A. S., KENTON, A., CALLIMASSIA, M. A. & BENNETT, M. D., Comparison of plant telomere locations using a PCR-generated synthetic probe, 239
- CRAMER, M. D. & LEWIS, O. A. M., The influence of NO₃⁻ and NH₄⁺ nutrition on the gas exchange characteristics of the roots of wheat (*Triticum aestivum*) and maize (*Zea mays*) plants, 37
- , LEWIS, O. A. M., The influence of nitrate and ammonium nutrition on the growth of wheat (*Triticum aestivum*) and maize (*Zea mays*) plants, 359
- CROSS, R. H. M. (see BOTHA, C. E. J.), 255
- CULVENOR, R. A., Effect of cutting during reproductive development on the regrowth and regenerative capacity of the perennial grass, *Phalaris aquatica* L., in a controlled environment, 559
- CURTIS, J. P. (see BUWALDA, J. G.), 17
- CZANINSKI, Y., SACHOT, R. M. & CATESSON, A. M., Cytochemical localization of hydrogen peroxide in lignifying cell walls, 547
- DAVIES, H. V. (see SHEPHERD, T.), 155
- DE CÁCERES, F. M. (see BERNAL, M. A.), 415
- DE DATTA, S. K. (see EKANAYAKE, I. J.), 73
- DELL'AQUILA, A. & SPADA, P., The effect of salinity stress upon protein synthesis of germinating wheat embryos, 97
- DONS, H. J. M. (see HOEK, I. H. S.), 367
- DUBOIS, J. (see VERDUS, M.-C.), 375
- DUBOIS, T. (see VERDUS, M.-C.), 375
- DUBROVSKY, J. G., Radiomimetic effect of cisplatin on cucumber root development: the relationship between cell division and cell growth, 143
- DUCKETT, J. G. & LIGRONE, R., Plastid-dividing rings in ferns, 619
- DUTHION, C. & PIGEARE, A., Stability of the nitrogen concentration of inoculated white lupins during pod development, 55
- , (see TRUONG, H.-H.), 133

- DVOŘÁK, J. & ŠTOKROVÁ, J., Structure of the needles in the early phases of development in *Pinus ponderosa* P. et C. Lawson with special reference to plastids, 423
- EHRET, D. L. (see SAMUELS, A. L.), 433
- EKANAYAKE, I. J., DE DATTA, S. K. & STEPONKUS, P. L., Effect of water deficit stress on diffusive resistance, transpiration, and spikelet desiccation of rice (*Oryza sativa* L.), 73
- ELGERSMA, A., NIEBOER, I. G. & KEIZER, L. C. P., The effect of temperature on seed set and seed development in detached spikelets of perennial ryegrass (*Lolium perenne* L.), 337
- ELLIS, R. H., HONG, T. D. & JACKSON, M. T., Seed production environment, time of harvest, and the potential longevity of seeds of three cultivars of rice (*Oryza sativa* L.), 583
- ENNOS, A. R., The mechanics of the flower stem of the sedge *Carex acutiformis*, 123
- FEIL, B. (see SCHORTEMEYER, M.), 107
- FELNER, I. (see LESHEM, Y. Y.), 457
- FIDALGO, F., SANTOS, I. & SALEMA, R., Effects of deltamethrin on field grown potato plants: biochemical and ultrastructural aspects, 263
- FRIMER, A. A. (see LESHEM, Y. Y.), 457
- GALE, J. (see REUVENI, J.), 129
- GASTAL, F. & BÉLANGER, G., The effects of nitrogen fertilization and the growing season on photosynthesis of field-grown tall fescue (*Festuca arundinacea* Schreb.) canopies, 401
- GAVALDA, M.-C. (see BEECHING, J. R.), 515
- GLASS, A. D. M. (see SAMUELS, A. L.), 433
- HALL, J. L. (see JACKSON, C. K.), 193
- HALL, K. C. (see JACKSON, M. B.), 569
- HARTLEY, B. J. (see BOTHA, C. E. J.), 255
- HAYSOM, H. R. (see BEECHING, J. R.), 515
- HODSON, G. C. (see TUBB, H. J.), 537
- HODSON, M. J. & SANGSTER, A. G., The interaction between silicon and aluminium in *Sorghum bicolor* (L.) Moench: growth analysis and X-ray microanalysis, 389
- , (see TUBB, H. J.), 537
- HOEK, I. H. S., TEN CATE, C. H. H., KEIJZER, C. J., SCHEL, J. H. & DONS, H. J. M., Development of the fifth leaf is indicative for whole plant performance at low temperature in tomato, 367
- HONG, T. D. (see ELLIS, R. H.), 583
- HUGHES, M. A. (see BEECHING, J. R.), 515
- HUNT, L. A. (see MCCULLOUGH, D. E.), 269
- HUNT, R., Editorial, 387
- HUYGHE, C. (see JULIER, B.), 493
- IDLE, D. B. (see STONE, W.), 613
- JACKSON, C. K. & HALL, J. L., A fine structural analysis of auxin-induced elongation of cucumber hypocotyls, and the effects of calcium antagonists and ionophores, 193
- JACKSON, M. B. & HALL, K. C., Polyamine content and action in roots of *Zea mays* L. in relation to aerenchyma development, 569
- JACKSON, M. T. (see ELLIS, R. H.), 583
- JAMES, A. R. (see THOMAS, H.), 249
- JARVIS, P. G. (see APHALO, P. J.), 321
- JOHNSON, J. M. & CHOINSKI, J. S., Photosynthesis in the *Tapinanthus-Diplorhynchus* mistletoe-host relationship, 117
- JULIER, B. & HUYGHE, C., Description and model of the architecture of four genotypes of determinate autumn-sown white lupin (*Lupinus albus* L.) as influenced by location, sowing date and density, 493
- KARSSSEN, C. M. (see BOUWMEESTER, H. J.), 463
- KEIJZER, C. J. (see HOEK, I. H. S.), 367
- KEIZER, L. C. P. (see ELGERSMA, A.), 337
- KENTON, A. (see COX, A. V.), 239
- KNOX, R. B. (see BEARDSSELL, D. V.), 27
- KRAAK, H. L. (see BINO, R. J.), 181
- KRAUS, J. E. (see SALATINO, A.), 409
- LANTERI, S. (see BINO, R. J.), 181
- LEA-COX, J. D. & SYVERTSEN, J. P., Salinity reduces water use and nitrate-N-use efficiency of citrus, 47
- LEE, R. B., Control of net uptake of nutrients by regulation of influx in barley plants recovering from nutrient deficiency, 223
- LESHEM, Y. Y., RAPOPORT, D., FRIMER, A. A., STRUL, G., ASAF, U. & FELNER, I., Buckminsterfullerene (C-60 carbon allotrope) inhibits ethylene evolution from 1-aminocyclopropane-1-carboxylic acid (ACC)-treated shoots of pea (*Pisum sativum*), broadbean (*Vicia faba*) and flowers of carnation (*Dianthus caryophyllus*), 457
- LEWIS, O. A. M. (see CRAMER, M. D.), 37, 359
- LIGRONE, R. (see DUCKETT, J. G.), 619
- LOSS, S. P., ROBSON, A. D. & RITCHIE, G. S. P., H^+ / OH^- excretion and nutrient uptake in upper and lower parts of lupin (*Lupinus angustifolius* L.) root systems, 315
- LUR, H.-S. & SETTER, T. L., Endosperm development of maize defective kernel (*dek*) mutants. Auxin and cytokinin levels, 1
- MCCULLOUGH, D. E. & HUNT, L. A., Mature tissue and crop canopy respiratory characteristics of rye, triticale and wheat, 269
- MALIK, K. A., ALI-KHAN, S. T. & SAXENA, P. K., High-frequency organogenesis from direct seed culture in *Lathyrus*, 629
- MARMEY, P. (see BEECHING, J. R.), 515
- MAUSETH, J. D., Water-storing and cavitation-preventing adaptations in wood of cacti, 81
- MAYER, A. M. (see REUVENI, J.), 129
- MENZIES, J. G. (see SAMUELS, A. L.), 433
- MILLER, H. & BARNETT, J. R., The structure and composition of bead-like projections on Sitka spruce callus cells formed during grafting and in culture, 441
- MIYAKE, H. & NAKAMURA, M., Some factors concerning the centripetal disposition of bundle sheath chloroplasts during the leaf development of *Eleusine coracana*, 205
- MIZRAHI, Y. (see WEISS, J.), 521
- MUÑOZ, R. (see BERNAL, M. A.), 415

- NAKAMURA, M. (see MIYAKE, H.), 205
- NEPI, M. & PACINI, E., Pollination, pollen viability and pistil receptivity in *Cucurbita pepo*, 527
- NERD, A. (see WEISS, J.), 521
- NIEBOER, I. G. (see ELGERSMA, A.), 337
- NIKLAS, K. J., The scaling of plant height: a comparison among major plant clades and anatomical grades, 165
- , Influence of tissue density-specific mechanical properties on the scaling of plant height, 173
- , Allocation of organ biomass in perfect and imperfect flowers, 475
- NOGUCHI, T. (see UEDA, K.), 591
- NOIROT, M. (see BEECHING, J. R.), 515
- PACINI, E. (see NEPI, M.), 527
- PAROKONNY, A. S. (see COX, A. V.), 239
- PATE, J. S. (see BOWEN, B. J.), 7
- PEDREÑO, M. A. (see BERNAL, M. A.), 415
- PIGEAIRE, A. (see DUTHION, C.), 55
- POLOWICK, P. L. & SAWHNEY, V. K., Differentiation of the tapetum during microsporogenesis in tomato (*Lycopersicon esculentum* Mill.), with special reference to the tapetal cell wall, 595
- RANKER, T. A. (see SHEFFIELD, E.), 231
- RAPOPORT, D. (see LESHEM, Y. Y.), 457
- RECHEL, E., Etiolated growth as a measure of non-structural biomass in lucerne taproots, 103
- REISS, H.-D. (see TSEKOS, I.), 213
- REUVENI, J., GALE, J. & MAYER, A. M., Reduction of respiration by high ambient CO₂ and the resulting error in measurements of respiration made with O₂ electrodes, 129
- RITCHIE, G. S. P. (see LOSS, S. P.), 315
- ROBSON, A. D. (see LOSS, S. P.), 315
- ROBSON, D. J. (see SHEFFIELD, E.), 231
- ROGERS, M. E. & WEST, D. W., The effects of rootzone salinity and hypoxia on shoot and root growth in *Trifolium* species, 503
- RUMSEY, F. J. (see SHEFFIELD, E.), 231
- SACHOT, R. M. (see CZANINSKI, Y.), 547
- SALATINO, A., KRAUS, J. E. & SALATINO, M. L. F., Contents of tannins and their histological localization in young and adult parts of *Struthanthus vulgaris* Mart. (Loranthaceae), 409
- SALATINO, M. L. F. (see SALATINO, A.), 409
- SALEMA, R. (see FIDALGO, F.), 263
- SAMUELS, A. L., GLASS, A. D. M., EHRET, D. L. & MENZIES, J. G., The effects of silicon supplementation on cucumber fruit: changes in surface characteristics, 433
- SANGSTER, A. G. (see HODSON, M. J.), 389
- SANTOS, I. (see FIDALGO, F.), 263
- SASAHARA, T. (see ZHANG, Q.), 551
- SAWHNEY, V. K. (see POLOWICK, P. L.), 595
- SAXENA, P. K. (see MALIK, K. A.), 629
- SCAIFE, A. (see AIKMAN, D. P.), 485
- SCHL, J. H. (see HOEK, I. H. S.), 367
- SCHORTEMEYER, M., FEIL, B. & STAMP, P., Root morphology and nitrogen uptake of maize simultaneously supplied with ammonium and nitrate in a split-root system, 107
- SETTER, T. L. (see LUR, H.-S.), 1
- SEXTON, R. (see BURDON, J. N.), 289
- SHARMA, E., Nutrient dynamics in Himalayan alder plantations, 329
- SHARMA, S. S. (see BASSI, R.), 151
- SHEFFIELD, E., WOLF, P. G., RUMSEY, F. J., ROBSON, D. J., RANKER, T. A. & CHALLINOR, S. M., Spatial distribution and reproductive behaviour of a triploid bracken (*Pteridium aquilinum*) clone in Britain, 231
- SHEPHERD, T. & DAVIES, H. V., Carbon loss from the roots of forage rape (*Brassica napus* L.) seedlings following pulse-labelling with ¹⁴CO₂, 155
- SMITH, G. S. (see BUWALDA, J. G.), 17
- SPADA, P. (see DELL'AQUILA, A.), 97
- STAMP, P. (see SCHORTEMEYER, M.), 107
- STEPONKUS, P. L. (see EKANAYAKE, I. J.), 73
- ŠTOKROVÁ, J. (see DVOŘÁK, J.), 423
- STONE, W., IDLE, D. B. & BRENNAN, R. M., Freezing events within overwintering buds of blackcurrant (*Ribes nigrum* L.), 613
- STRUL, G. (see LESHEM, Y. Y.), 457
- SYVERTSEN, J. P. (see LEA-COX, J. D.), 47
- TEN CATE, C. H. H. (see HOEK, I. H. S.), 367
- THOMAS, H. & JAMES, A. R., Freezing tolerance and solute changes in contrasting genotypes of *Lolium perenne* L. acclimated to cold and drought, 249
- TRUONG, H.-H. & DUTHION, C., Time of flowering of pea (*Pisum sativum* L.) as a function of leaf appearance rate and node of first flower, 133
- TSEKOS, I. & REISS, H.-D., The supramolecular organization of red algal vacuole membrane visualized by freeze-fracture, 213
- TUBB, H. J., HODSON, M. J. & HODSON, G. C., The inflorescence papillae of the triticeae: a new tool for taxonomic and archaeological research, 537
- UEDA, K. & NOGUCHI, T., Electron-dense regions in dividing mitochondria of a green alga, *Scenedesmus acutus*, 591
- VASSEUR, J. (see VERDUS, M.-C.), 375
- VERDUS, M.-C., DUBOIS, T., DUBOIS, J. & VASSEUR, J., Ultrastructural changes in leaves of *Cichorium* during somatic embryogenesis, 375
- VERHOEVEN, H. A. (see BINO, R. J.), 181
- WEISS, J., NERD, A. & MIZRAHI, Y., Vegetative parthenocarpy in the cactus pear *Opuntia ficus-indica* (L.) Mill., 521
- WEST, D. W. (see ROGERS, M. E.), 503
- WHITE, P. J., Relationship between the development and growth of rye (*Secale cereale* L.) and the potassium concentration in solution, 349
- WILLIAMS, E. G. (see BEARDSSELL, D. V.), 27
- WOLF, P. G. (see SHEFFIELD, E.), 231
- ZHANG, Q., ABE, T., ANDO, H. & SASAHARA, T., Classification of glutinous rice (*Oryza sativa* L.) starches based on X-ray diffraction pattern, 551

Subject Index

- Abscission, 289
 Acclimation, 249
 Acid rain, 449
Actinidia deliciosa, 17
Ad initio cellular endosperm, 295
 Adsorption, 457
 Adventitious roots, 503
Aegilops, 537
 Aerenchyma, 503, 569
 Al toxicity, 607
Allium ursinum, 607
 Allometry, 475
Alnus nepalensis D. don, 329
 Aluminium, 389, 449
 American elm, 341
 Amino acids, 359
 Ammonium, 107, 223
 Ammonium assimilation, 37
 Amylopectin, 551
 Anaerobiosis, 569
 Anthesis, 527
 Archaeology, 537
 Architecture, 493
 Atmospheric CO₂, 129
 Auxin, 1
- Bacteroids, 577
 Balansa clover, 503
 Barley, 223
 Basswood, 341
 Bean, 181
 Beech, 181
 Bees, 527
 Bending, 123
 Biomechanics, 165
 Biomineralization, 389
 Blackcurrant, 613
 Book Reviews, 91, 189, 283, 385, 511, 639
 Bracken, 231
 Branch, 493
Brassica napus L., 155
 Buds, 613
 Bundle sheath chloroplast, 205
- C levels, 181
 C₄ plant, 205
 Ca/Al, 607
 Cactaceae, 81
 Cactus, 81
 Cactus pear, 521
 Calcium, 47, 193, 389, 449
 Callus, 441
 Canopy leaves, 341
 Capsicum, 415
Capsicum annuum, 181
 Carbohydrates, 249
 Carbon, 401
 Carbon dioxide, 485
 Carbon loss, 155
 Carbon partitioning, 155
Carex acutiformis, 123
 Cassava, 515
Castanea sativa, 181
 Cation-anion balance, 315
- Cauliflower, 485
 Cell division, 1, 143
 Cell elongation, 143
 Cell expansion, 367
 Cell growth, 143
 Cell number, 1
 Cell-wall projections, 441
Chenopodium album, 463
 Chestnut, 181
 Chloride, 47
 Chloroplast division, 619
 Chloroplast orientation, 205
Cichorium, 375
Cichorium endiva, 181
 Cisplatin, 143
Citrus reticulata, 47
Citrus volkameriana, 47
 Clone, 231
 CO₂ accumulation, 129
 CO₂ flux density, 321
 Comparative physical mapping, 239
 Competition, 485
 Copper, 151
 Cottonwood, 341
 Courgette, 527
 Critical K⁺ concentration, 349
 Cucumber, 143, 433
Cucumis sativus, 143
Cucumis sativus hypocotyl, 193
Cucumis sativus L., 433
Cucurbita pepo, 527
 Cucurbitaceae, 527
 Cut flowers, 27
 Cutting, 559
 Cytochemistry, 441, 547
 Cytokinin, 1
 Cytoplasmic sleeve, 255
- Dark CO₂ fixation, 129
 Defective kernel mutant, 1
 Defoliation, 559
Dek, 1
 Deltamethrin, 263
 Density, 485
 Desiccation, 463
 Desmotubule, 255
 Detached spikelets culture, 337
 Determinate growth, 493
 Development, 349
 Developmental stage, 607
 Diagnosis, 55
Dianthus caryophyllus, 457
 Dictyosomes, 193
 Differential thermal analysis, 613
 Diffusion, 577
Diplorhynchus condylocarpon, 117
 Direct shoot morphogenesis, 629
 Discriminant analysis, 551
 Division apparatus, 591
 Division cycle, 619
 Division of mitochondria, 591
 DNA amplification, 1
 DNA content, 181
 Dormancy pattern, 463

- Drought susceptibility, 73
 Drought tolerance, 73
 Dry matter, 63, 269

 Egg-plant, 181
 Elastic modulus, 173
 Electron microscopy, 591
Eleusine coracana, 205
 ELISA, 1
 Elongation growth, 193
 Embryo, 97
 Endive, 181
 Endoplasmic reticulum, 423
 Endopolyploidy, 1
 Endoreduplication, 1
 Endosperm development, 303
 Energy dispersive X-ray analysis, 433
 Entomophilous pollination, 527
 Environmental stress, 569
 Ethene, 569
 Ethylene, 289, 457, 569
 Etiolated growth, 103
 Evolution, 81
 Exponential, 485
 Extracellular matrix, 303
 Extracellular tubular protein, 375

Fagus sylvatica, 181
 Fasciation, 27
 Female receptivity, 527
 Ferns, 619
Festuca arundinacea Schreb., 401
 Field distribution, 607
 Finger millet, 205
 Fire response, 7
 Flooding, 503
 Floral biomass, 475
 Floral mutations, 27
 Floral state, 415
 Floret position, 337
 Flow cytometry, 181
 Flower, 289
 Flowering, 133
 Flowering solution, 607
 Fluorescence microscopy, 521
 Forage rape, 155
Fraxinus pennsylvanica Marsh., 241
 Freeze substitution, 389
 Freeze-fracture, 213
 Freezing injury, 613
 Fruit, 433
 Fruit development, 521
 Fruit growth, 63
 Fullerene, 457

 Genebanks, 583
 Genetic diversity, 515
 Genetics, 231
 Genome organization, 239
 Germination, 463
Gibasis pulchella (Kunth) Rafin., 239
 Glume, 537
 Glutinous rice, 551
Glycine max, 577
 Glyoxysomes, 295
 Grass, 401
 Grass pea, 629
 Green ash, 341
 Growth, 359, 485, 607
 Growth and maintenance respiration, 269

Haplopappus gracilis (Nutt.) A. Gray, 239
 Hardening, 249

 Heavy metals, 151
 Hill reaction, 117
 Histochemistry, 441
 Histological localization, 409
 H^+/OH^- excretion, 315
 Homeotic, 27
Hordeum, 537
Hordeum vulgare, 223
Hordeum vulgare L. cv. Sultan, 239
Hordeum vulgare L. cv. Tuleen 346, 239
 Hormone, 1
 Hydrogen peroxide, 547
 Hypoxia, 503

 Image analysis, 255
In situ hybridization, 239
 Indoleacetic acid, 193
 Inflorescence, 537
 Influx, 223
 Inoculated plants, 55
 Interactive computer graphics, 17
 Intracellular CO_2 molar fraction, 321

 Karyotype evolution, 239
 Kiwifruit, 17
 Kranz mesophyll, 255

Lactuca sativa, 129, 181
 Lamb's quarters, 463
 Lateral root, 143
Lathyrus, 629
Lathyrus sativus L., 239
 Leaf development, 367
 Leaf initiation, 367
 Leaf peroxidases, 415
 Leaf structure, 367
 Lemma, 537
Lemna gibba, 129
Lemna minor, 151
 Lettuce, 181, 485
 Light, 463
 Lignification, 547
 Lipid bodies, 295
 Lipo-carbohydrate matrix, 303
 Logistic model, 63
Lolium perenne L., 337
 Lorantheaceae, 409
 Low temperature, 367
Lupinus albus L., 55, 493
Lupinus angustifolius L., 315
Lycopersicon esculentum, 181, 595
Lycopersicon esculentum Mill. genotypes, 367

 Magnesium, 449
 Maize, 1, 37, 107, 359
 Male sterility, 27
Manihot esculenta (Crantz), 515
 Mathematical modelling, 17
 Mechanical allometry, 173
 Mechanics, 123
Medicago sativa, 103
 Membrane tetrads, 213
 Meristic, 27
 Microbial nutrition, 155
 Microbial respiration, 155
 Microsporogenesis, 595
Milium vernale Bieb., 239
 Mistletoe, 117, 409
 Mitochondria, 591
 Model, 133, 485, 493
 Modelling, 321
 Monocrop, 485
 Mucilage sacs, 213

- Mutants, 27
 Myrtaceae, 27

 N concentration, 55
 N_2 fixation efficiency, 55
 N_2 fixation, 577
 Nectars, 527
 Needle ontogeny, 423
 Needle structure, 423
Nicotiana sylvestris Speg et Comes, 239
 Nitrate, 47, 107, 223, 463
 Nitrate assimilation, 37
 Nitrogen, 359, 401
 Nitrogen accretion, 329
 Nitrogen allocation, 47
 Nitrogen-use efficiency, 47
 $^{15}NO_3$ uptake, 47
 Non-inoculated plants, 55
 Nuclear replication stage, 181
 Nutrient absorption, 223
 Nutrient concentration, 329
 Nutrient uptake, 315

 O_2 electrode, 129
Opuntia ficus-indica, 521
Orobanchae aegyptiaca, 129
Oryza sativa, 551
Oryza sativa L., 583
 Osmotic potential, 249
 Oxygen shortage, 569
 Oxyleghaemoglobin, 577

Paphiopedilum insigne (Wall.) Pfitz., 239
 Papilla, 537
 PAR, 485
 Parthenocarpy, 521
 PCR, 239
 Pea, 133
 Pepper, 181
 Perennial grass, 559
 Perennial ryegrass, 249, 337
 Peroxidase, 547
 Persistence, 559
 Petal, 289
 pH, 107
 Phalaris, 559
Phalaris aquatica L., 559
Phaseolus vulgaris, 181
 Phosphate, 223
 Photoperiod, 133
 Photosynthesis, 17, 117, 321, 359, 401
 Phyllochron, 133
Picea sitchensis, 441
 Pine, 181
Pinus nigra, 181
Pinus ponderosa, 423
Pisum sativum, 457
Pisum sativum L., 133
 Plant allometry, 165
 Plant environmental time, 485
 Plant growth, 367
 Plant height, 173
 Plantation age, 329
 Plasmodesmatal structure, 255
 Plastid-dividing rings, 619
 Plastids, 423
Pleurozium schreberi, 449
 Poaceae, 255
 Pollen development, 595
 Pollen viability, 527
 Pollen-tube-growth, 521
 Pollinator efficiency, 527
 Polyamines, 569
 Polyphenoloxidase, 547
 Ponderosa pine, 423
 Poplar, 547
Populus deltoides Marsh, 341
Populus × euramericana, 547
 Potassium, 349, 449
 Potato plant, 263
 Proline, 151, 249
 Proteaceae, 7
 Protein synthesis, 97
Pteridium aquilinum, 231
 Pteridophytes, 619
 Pulse-labelling, 155
 Purple clover, 503

 Radiation interception, 17
 Radish, 181
Raphanus sativus, 181
 Raspberry, 289
 Red algae, 213
 Regression model, 463
 Regrowth, 559
 Relative growth rate (RGR), 349
 Reproduction, 231, 475
 Respiration, 129
 Respiration quotient, 129
 Resprouter, 7
 Restriction fragment length polymorphisms, 515
 RFLPs, 515
 RGR, 367
 Rhizodeposition, 155
Rhytidadelphus triquetrus, 449
Ribes nigrum, 613
 Rice, 583
 Rice panicles, 73
 Root, 155, 389
 Root carbohydrates, 103
 Root development, 143
 Root morphology, 107
 Root nodules, 577
 Root respiration, 37, 155
 Roots, 569
Rubus idaeus L., 289
 Rye, 269, 349

 Salinity, 47, 503
 Salt stress, 97
 Sand culture, 155
Scenedesmus, 591
Secale cereale L. cv. Rheidol, 349
 Sedge, 123
 Seed, 181
 Seed culture, 629
 Seed development, 583
 Seed longevity, 583
 Seed set, 337
 Seed storage, 583
 Seed yield, 337
 Selection criteria, 367
 Shoot:root ratio, 7
 Silica, 433
 Silicon, 389
 Sink size, 63
 SO_2 , 449
 Sodium, 47
 Soil solution, 607
Solanum melongena, 181
Solanum nigrum, 295, 303
Solanum tuberosum L., 263
 Solute potential, 249
 Somatic embryogenesis, 375
Sorghum bicolor (L.) Moench., 389
 Soybean, 577

- Spatial distribution, 231
- Spatial heterogeneity, 17
- Spinach, 181
- Spinacia oleracea*, 181
- Split-root, 107
- Standing state, 329
- Starch storage, 7
- Stereology, 193
- Stirlingia latifolia*, 7
- Stomatal conductance, 321
- Storage, 181
- Strawberry clover, 503
- Struthanthus vulgaris*, 409
- Subcellular localization, 415
- Subterranean clover, 503
- Sucker leaves, 341
- Supramolecular organization, 213
- Tannins, 409
- Tapetum development, 595
- Tapinanthus vittatus*, 117
- Taproot, 103
- Taxonomy, 537
- Telomere repeat sequence (TRS), 239
- Temperature, 133, 337, 463, 485, 583
- Tetraploid, 27
- Themeda triandra*, 255
- Thidiazuron, 629
- Thryptomene calycina*, 27
- Tilia americana*, 341
- Tillering, 559
- Tomato, 63, 181, 595
- Torsion, 123
- Total free amino acids, 151
- Toxicity, 389
- Tradescantia commelinoides* Schultes, fil., 239
- Transmission electron microscopy, 619
- Trees, 165
- Trichomes, 433
- Trifolium fragiferum*, 503
- Trifolium isthmocarpum*, 503
- Trifolium michelianum*, 503
- Trifolium purpureum*, 503
- Trifolium repens*, 503
- Trifolium subterraneum*, 503
- Triploid, 231
- Triticale, 269
- Triticum*, 537
- Triticum aestivum*, 37, 359
- Triticum durum*, 97
- Turnover, 329
- Ulmus americana* L., 341
- Ultrastructure, 595
- Uptake, 329
- Vacuolar calcium, 375
- Vacuole membrane, 213
- Vegetative state, 415
- Vertical split root, 315
- Vetch ochrus, 629
- Vicia faba*, 457
- Vicia sativa* L. subsp. *nigra* (L.) Ehrh., 239
- Victorian lace flower, 27
- Vigna radiata* (L.) R. Wilczek cv. Berken, 239
- Water transfer, 63
- Water use, 47
- Water-stress, 81
- Wheat, 37, 97, 269, 359
- White clover, 503
- White lupin, 55, 493
- Wood, 81
- X-ray diffraction pattern, 551
- X-ray microanalysis, 389
- Xylem, 81, 359
- Zea mays*, 37, 359, 569
- Zea mays* L., 1, 107
- Zimbabwe, 117
- Zinc, 151
- Zone of Separation and Secretion, 303

